



WNQ 
Fitness



ADD:388#,Beiyng RD,Qingpu Area,Shanghai.
Mobile:0086-13918981609
[Http://www.wnq.com](http://www.wnq.com)

WNQ(SHANGHAI)BODY-BUILDING EQUIPMENT CO., LTD.



The logo of WNQ Company is like the Olympic flame, symbolizing the spirit of sports competition, and also shaped like a high-speed racing car, conveying the development concept of WNQ company: developing the brand at the speed of F1, building the brand with F1 technology, and healthy people around the world with F1 sports spirit!



SINCE 1989

CONTENTS

ABOUT US	01
CARDIO EQUIPMENT	05
Treadmill	07
Elliptical	23
Exercise Bike	35
Commercial Spin Bike	51
Rowing Machine	59
STRENGTH EQUIPMENT	63
5000 Series	65
7000 Series	71
W2000 Series	79
Meige A Series	85
518 Series	103
CASE APPRECIATION	111

LOCATION ADVANTAGE



WNQ is a leader of indoor fitness equipment manufacturer and innovator in China. Born in Fuzhou, Fujian in 1989, and headquartered in Shanghai in 2008. It continuously innovates technology and products in the fitness industry, providing intelligent fitness program for users, and promoting the development of the health business. WNQ always adheres to the concept of "providing first-class brand products for the health of the people around the world". After more than 30 years of accumulation, it continuously enhances the company's core competitiveness and aims to manufacture more professional indoor fitness equipment.

For technology and products, we have a strong R&D and production team, and a united and rigorous marketing team, adhering to the (innovative) concept (of being a first-class brand), constantly improve product quality, and adhering to the service oriented purpose. The main products have passed certifications such as GS, CE, NSCC, etc.

For the development of the company, we continuously strive for excellence and have been selected as a high-tech enterprise and a sports demonstration unit in Shanghai; Rated as one of the "Top 10 Consumer Trust Brands" in the fitness industry and awarded the title of "Top 10 Enterprises in China's Light Industry Fitness Equipment Industries".

WNQ company currently has hundreds of sales network in various large and medium-sized cities in China, and WNQ products are sold to more than 60 countries around the world.



Located in Shanghai



Talent concentration



Policy Support



Technology Developed


Honor&Qualification



Adopting International Standard Product Marking Certificate



China's 500 Most Valuable Brands



Certificate Of Contract Credit Rating



Products CE Certificate



GS Certificate



Certificate Of Conformity


SALES SERVICE GLOBAL COVERAGE

WNQ Fitness has a global sales network, a professional sales team, and a comprehensive after-sales service system to meet all users worldwide.



Cardio Series

Treadmill



/CARDIO EQUIPMENT/

COMMERCIAL TREADMILL

VENUS-XI



Specification	Single Screen
Assemble Size	2330*990*1575(LxWxH mm)
Max Load	200kg
Net Weight	239kg
Gross Weight	299kg
Color	Champagne Color, Iron Gray, Silver Gray (Optional)
Power Supply	AC220±20V 16A
Motor	AC 4.0HP (Max 9HP)
Speed	0.6–25.0km/h
Incline	–4%–20% (24 Levels)
Shock Absorption System	Tai Chi Shock Absorption System
Heart Rate Test	Handhold Sensor
Walking Area	1600X600(LxW mm)
Running Belt	T2.5 (Self-lubricating)
Running Board	T25mm
Steam Tube	120*50*T2Rectangular tube
Screen	13.3" IPS full viewing angle display [Lower Screen]
Console Functions	Spec: Time, distance, calories, speed, slope, heart rate, etc. Programs: Reality Mode, Object Mode and Applied Multimedia
Others	Hi-Fi Stereo Speaker, Wireless Charging, Paddle Shifting, iPad Bracket, MP3 Earphone, USB Interface

/CARDIO EQUIPMENT/

COMMERCIAL TREADMILL

VENUS-XT



Specification	Dual Screens
Assemble Size	2330*990*1700(LxWxH mm)
Max Load	200kg
Net Weight	244kg
Gross Weight	312kg
Color	Champagne Color, Iron Gray, Silver Gray (Optional)
Power Supply	AC220±20V 16A
Motor	AC 4.0HP (Max 9HP)
Speed	0.6–25.0km/h
Incline	–4%–20% (24 Levels)
Shock Absorption System	Tai Chi Shock Absorption System
Heart Rate Test	Handhold Sensor
Walking Area	1600X600(LxW mm)
Running Belt	T2.5(Self-lubricating)
Running Board	T25mm
Steam Tube	120*50*T2Rectangular tube
Screen	13.3" LCD Touch Screen [Lower Screen]+21.5" LCD Touch Screen [Upper Screen] (1080P)
Console Functions	Spec: Time, distance, calories, speed, slope, heart rate, etc. Programs: Reality Mode, Object Mode and Applied Multimedia Multi-Media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Hi-Fi Stereo Speaker, Wireless Charging, Paddle Shifting, iPad Bracket, MP3 Earphone, USB Interface

/CARDIO EQUIPMENT/

COMMERCIAL TREADMILL

VENUS-X2



Specification	
Assemble Size	2330*990*1700(LxWxH mm)
Max Load	200kg
Net Weight	240kg
Gross Weight	306kg
Color	Champagne Color, Iron Gray, Silver Gray (Optional)
Power Supply	AC220±20V 16A
Motor	AC 4.0HP (Max 9HP)
Speed	0.5–25.0km/h
Incline	–4%–20% (24 Levels)
Shock Absorption System	Tai Chi Shock Absorption System
Heart Rate Test	Handhold Sensor
Walking Area	1600X600(LxW mm)
Running Belt	T2.5 (Self-lubricating)
Running Board	T25mm
Steam Tube	120*50*T2Rectangular tube
Screen	LED Screen
Console Functions	The LED screen is mainly responsible for controlling the treadmill function, displaying calories, speed, slope, time, heart rate, distance, manual, preset, and usage modes.
Others	Hi-Fi Stereo Speaker, Wireless Charging, Paddle Shifting, iPad Bracket, MP3 Earphone, USB Interface

/CARDIO EQUIPMENT/

COMMERCIAL TREADMILL

V6 Pro



Specification	
Assemble Size	2145*880*1560(LxWxH mm)
Max Load	180kg
Net Weight	170kg
Inverter	2.2Kw/220V
Handrail Paddle Shift	Adjust Speed and Incline
Power Supply	AC220±20V 10A
Motor	AC 3HP (Max 7HP)
Speed	0.5–22.0km/h
Incline	–3–18%
Shock Absorption System	Automatic compensation type buffer device
Heart Rate Test	Handhold Sensor & Wireless Heart Rate Bracelet
Walking Area	1520x540 (Lxw mm)
Running Belt	T2.2mm
Running Board	T25mm
Steam	Unique X Structure
Screen	LED screen
Console Functions	The LED screen is mainly responsible for controlling the treadmill function, displaying calories, speed, slope, time, heart rate, distance, manual, preset, and usage modes.
Others	Hi-fi stereo, dial adjustment, Bluetooth

/CARDIO EQUIPMENT/

COMMERCIAL TREADMILL

V6



Specification	Single Screen
Assemble Size	2145*880*1470(LxWxH mm)
Max Load	150kg
Net Weight	166.5kg
Inverter	2.2Kw/220V
Handrail Paddle Shift	Adjust Speed and Incline
Power Supply	AC220±20V 10A
Motor	AC 3HP (Max 7HP)
Speed	0.6–22.0km/h
Incline	0%–16%/–3–16%
Shock Absorption System	Automatic compensation type buffer device
Heart Rate Test	Handhold Sensor & Wireless Heart Rate Bracelet
Walking Area	1520x540 (Lxw mm)
Running Belt	T2.2mm
Running Board	T25mm
Steam	Unique X Structure
Screen	Acrylic touch screen
Console Functions	The acrylic touch screen is mainly responsible for controlling the treadmill function, displaying calories, speed, slope, time, heart rate, distance, manual, preset, and usage modes.
Others	Hi-fi stereo, dial adjustment, Bluetooth

/CARDIO EQUIPMENT/

COMMERCIAL TREADMILL

V6-TV1



Specification	Dual Screens
Assemble Size	2145*880*1610(LxWxH mm)
Max Load	150kg
Net Weight	172kg
Inverter	2.2Kw/220V
Handrail Paddle Shift	Adjust Speed and Incline
Power Supply	AC 220V/50 or 60HZ
Motor	AC 3HP (Max 7HP)
Speed	0.6–22.0km/h
Incline	–3–16%
Shock Absorption System	Automatic compensation type buffer device
Heart Rate Test	Handhold Sensor & Wireless Heart Rate Bracelet
Walking Area	1520x540 (Lxw mm)
Running Belt	T2.2mm
Running Board	T25mm
Steam	Unique X Structure
Screen	Acrylic touch screen+21.5" LCD touch screen
Console Functions	Spec: Time, distance, calories, speed, slope, heart rate, etc. Programs: Reality Mode, Object Mode and Applied Multimedia Multi-Media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Hi-fi stereo, dial adjustment, Bluetooth

COMMERCIAL TREADMILL

F1-8900A
F1-8900A-TV3


Specification	LED	18.5" TV
Assemble Size	2350*950*1380(LxWxH mm)	
Max Load	150kg	
Net Weight	226kg	
Gross Weight	269.5kg	
Color	Black Sand Pattern	
Power Supply	AC220±20V 16A	
Motor	AC 4.0HP (Max 9HP)	
Speed	0.8–25.0km/h	
Incline	0%–18% (18 Levels)	
Shock Absorption System	Automatic compensation type buffer device	
Heart Rate Test	Handhold Sensor	
Walking Area	1600X600(LxW mm)	
Running Belt	T2.5mm	
Running Board	T25mm	
Steam Tube	192*66*T3.7 Shaped Tube	
Screen	LED double colors big windows plus 6 auxiliary windows	18.5" capacitive touch screen
控制台功能	Display Datas: speed, incline, calorie, time, heart rate, etc.; Standard handhold heart rate test (Optional wireless heart rate test); 12 Professional exercise modes, one manual mode and multiple preset modes, etc.; Play external USB flash disk music; Support Bluetooth to play music	Spec: Time, distance, calories, speed, slope, heart rate, etc. Programs: Reality Mode, Object Mode and Applied Multimedia Multi-Media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Hi-Fi Stereo Speaker, Movement Wheels, Water Bottle Holder, MP3 Earphone, USB Interface	

COMMERCIAL TREADMILL

F1-8800A
F1-8800A-TV3


Specification	LED	15.6" TV
Assemble Size	2330*950*1600(LxWxH mm)	
Max Load	150kg	
Net Weight	196.5kg	
Gross Weight	242kg	
Color	Black Sand Pattern	
Power Supply	AC220±20V 16A	
Motor	AC 4.0HP (Max 9HP)	
Speed	0.8–25.0km/h	
Incline	0%–18% (18 Levels)	
Shock Absorption System	Automatic compensation type buffer device	
Heart Rate Test	Handhold Sensor	
Walking Area	1600X560 (LxW mm)	
Running Belt	T2.5mm	
Running Board	T25mm	
Steam Tube	PT180*60*T2.5 Oval Tube	
Screen	LED double colors big windows plus 6 auxiliary windows	15.6" capacitive touch screen
Console Functions	Display Datas: speed, incline, calorie, time, heart rate, etc.; Standard handhold heart rate test (Optional wireless heart rate test); 12 Professional exercise modes, one manual mode and multiple preset modes, etc.; Play external USB flash disk music; Support Bluetooth to play music	Spec: Time, distance, calories, speed, slope, heart rate, etc. Programs: Reality Mode, Object Mode and Applied Multimedia Multi-Media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Hi-Fi Stereo Speaker, Movement Wheels, Water Bottle Holder, MP3 Earphone, USB Interface	

COMMERCIAL TREADMILL

F1-800BA1



Specification	
Assemble Size	2180*830*1370 (LxWxH mm)
Max Load	150kg
Net Weight	150kg
Gross Weight	200kg
Color	Black Sand Pattern
Power Supply	AC220±20V 10A
Motor	AC 3.0HP (Max 7HP)
Speed	0.8–22.0km/h
Incline	0%–15% (15 Levels)
Shock Absorption System	Automatic compensation type buffer device
Heart Rate Test	Handhold Sensor
Walking Area	1600X560 (LxW mm)
Running Belt	T2.2mm
Running Board	T25mm
Steam Tube	110*50*T2 Rectangular tube
Screen	15.6" capacitive touch screen
Console Functions	Spec: Time, distance, calories, speed, slope, heart rate, etc. Programs: Reality Mode, Object Mode and Applied Multimedia Multi-Media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Hi-Fi Stereo Speaker, Wireless Charging, Paddle Shifting, iPad Bracket, MP3 Earphone, USB Interface

SEMI-COMMERCIAL TREADMILL

F1-7000EA

F1-7000EA-TV3



Specification	LCD	15.6' TV
Assemble Size	2065*800*1371 (LxWxH mm)	
Max Load	150kg	
Net Weight	144.5kg	
Gross Weight	188kg	
Color	Black Sand Pattern	
Power Supply	AC220±20V 10A	
Motor	AC 3.0HP (Max 7HP)	
Speed	0.8–22km/h	0.8–22km/h
Incline	0%–15% (15 Levels)	
Shock Absorption System	Automatic compensation type buffer device	
Heart Rate Test	Handhold Sensor	
Walking Area	1500X520 (LxW mm)	
Running Belt	T2.2mm	
Running Board	T25mm	
Steam Tube	120*50*T2 Rectangular tube	
Screen	LCD big window	15.6" capacitive touch screen
Console Functions	Display Datas: speed, incline, calorie, time, heart rate, etc.; Standard handhold hear rate test (Optional wireless heart rate test); 22 Professional exercise modes, one manual mode and multiple preset modes, etc.; Play external USB flash disk music;	Spec: Time, distance, calories, speed, slope, heart rate, etc. Programs: Reality Mode, Object Mode and Applied Multimedia Multi-Media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Hi-Fi Stereo Speaker, Movement Wheels, Water Bottle Holder, Fan, MP3 Earphone, USB Interface	

SEMI-COMMERCIAL TREADMILL

F1-7000F

Specification	
Assemble Size	2060*800*1470 (LxWxH mm)
Max Load	150kg
Net Weight	131.5kg
Gross Weight	164kg
Color	Black Sand Pattern
Power Supply	AC220±20V 10A
Motor	DC 2.0HP (Max 3.0HP)
Speed	0.8–18km/h
Incline	0%–15% (15 Levels)
Shock Absorption System	Automatic compensation type buffer device
Heart Rate Test	Handhold Sensor
Walking Area	1500X520 (LxW mm)
Running Belt	T2.2mm
Running Board	T18mm
Steam Tube	120*50*T2 Oval Tube
Screen	LCD big window
Console Functions	<p>Display Datas: speed, incline, calorie, time, heart rate, etc.;Standard handhold hear rate test;</p> <p>22 Professional exercise modes</p> <p>Play external USB flash disk music;</p>
Others	Hi-Fi Stereo Speaker, Movement Wheels, Water Bottle Holder, MP3 Earphone, USB Interface

HOME USE TREADMILL

F1-6000A**F1-6000S**

Specification	LED	Acrylic touch screen
Assemble Size	1770*866*1400 (LxWxH mm)	
Max Load	120kg	
Net Weight	97kg	
Gross Weight	109kg	
Color	Silver Gray	
Power Supply	AC220±20V 10A	
Motor	DC 1.75HP (Max 3.0HP)	
Speed	0.8–16.0km/h	
Incline	0%–10%	
Shock Absorption System	Automatic compensation type three grades buffer device	
Heart Rate Test	Handhold Sensor	
Walking Area	1360*500 (LxW mm)	
Running Belt	T1.8mm	
Running Board	T18mm*1286mm*652mm	
Steam Tube	120*50*T2.0 Flat Oval Tube	
Screen	LED Green Light	LED White Light
Console Functions	<p>Display Datas: speed, incline, calorie, time, heart rate, etc.;Standard handhold hear rate test;</p> <p>8 Professional exercise modes</p> <p>Play external USB flash disk music, Support Bluetooth to play music</p>	<p>Display Datas: speed, incline, calorie, time, heart rate, steps, etc.;</p> <p>Standard handhold hear rate test;</p> <p>Equip with Mobile App, multiple exercise modes, intelligently upload sports data, share moments;</p> <p>Support Bluetooth connection</p>
Others	Hi-Fi Stereo Speaker, Movement Wheels, Water Bottle Holder, MP3 Earphone, External USB charging interface	

HOME USE TREADMILL

F1-5000M

Specification	
Assemble Size	1790*810*1270 (LxWxH mm)
Max Load	130kg
Net Weight	82.5kg
Gross Weight	93.5kg
Color	Black Sand Pattern
Power Supply	AC220±20V 10A
Motor	DC 1.75HP (Max 3.0HP)
Speed	0.8–16.0km/h
Incline	0%–10%
Shock Absorption System	Automatic compensation type three grades buffer device
Heart Rate Test	Handhold Sensor
Walking Area	1360*480 (LxW mm)
Running Belt	T1.8
Running Board	T18mm
Steam Tube	PT 80*40*T1.5 Flat Oval Tube
Screen	5 LED windows
Console Functions	Display Datas: speed, incline, calorie, time, heart rate, etc.; Marquee display; 8 Professional exercise modes Play external USB flash disk music
Others	Hi-Fi Stereo Speaker, Movement Wheels, Water Bottle Holder

HOME USE TREADMILL

F1-4000A
F1-4000S

Specification	LED	Acrylic touch screen
Assemble Size	1720*820*1335 (LxWxH mm)	
Max Load	100kg	
Net Weight	77.5kg	
Gross Weight	85kg	
Color	Silver Gray	
Power Supply	AC220±20V 10A	
Motor	DC 1.5HP (Max 2.5HP)	
Speed	0.8–15.0km/h	
Incline	0%–10%	
Shock Absorption System	Automatic compensation type three grades buffer device	
Heart Rate Test	Handhold Sensor	
Walking Area	1290*460 (LxW mm)	
Running Belt	T1.8	
Running Board	T18mm	
Steam Tube	PT 80*40*T1.5 Flat Oval Tube	
Screen	LED Green Light	LED White Light
Console Functions	Display Datas: speed, incline, calorie, time, heart rate, etc.;Standard handhold hear rate test; 8 Professional exercise modes Play external USB flash disk music, Support Bluetooth to play music	Display Datas: speed, incline, calorie, time, heart rate, steps, etc.; Standard handhold hear rate test; Equip with Mobile App, multiple exercise modes, intelligently upload sports data, share moments; Support Bluetooth connection
Others	Movement Wheels, Water Bottle Holder	

HOME USE TREADMILL

F1-2000M



Specification	
Assemble Size	1610*800*1345(LxWxH mm)
Max Load	90kg
Net Weight	55kg
Gross Weight	63kg
Color	blue
Power Supply	AC220±20V 10A
Motor	DC1.0HP (MAX1.5HP)
Speed	0.8-12.0km/h
Incline	\
Shock Absorption System	Automatic compensation type three grades buffer device
Heart Rate Test	\
Walking Area	1160*460(LxW mm)
Running Belt	T1.8
Running Board	T18mm
Steam Tube	PT 80*40*T1.2 Flat Oval Tube
Screen	LED White Light
Console Functions	Display Datas: speed, calorie, time, heart rate, steps, etc.; 6 Professional exercise modes
Others	Movement Wheels, Water Bottle Holder

HOME USE TREADMILL


F1-3000M F1-3000R



Specification		
Assemble Size	1630*810*1345(LxWxH mm)	1720*836*1335(LxWxH mm)
Max Load	90kg	100kg
Net Weight	59kg	81kg
Gross Weight	66kg	88kg
Color	blue	Silver Gray
Power Supply	AC220±20V 10A	AC220±20V 10A
Motor	DC1.0HP (MAXHP)	DC1.5HP (MAX2.5HP)
Speed	0.8-12.0km/h	0.8-15.0km/h
Incline	\	0%-10%
Shock Absorption System	Automatic compensation type three grades buffer device	
Heart Rate Test	\	Handhold Sensor
Walking Area	1160*460(LxW mm)	1290*460(LxW mm)
Running Belt	T1.8	
Running Board	T18mm	
Steam Tube	PT 80*40*T1.5 Flat Oval Tube	
Screen	LED White Light	LED Green Light
Console Functions	Display Datas: speed, calorie, time, heart rate, steps, etc.; 8 Professional exercise modes Equip with Mobile App, multiple exercise modes, intelligently upload sports data, share moments; Support Bluetooth connection	Display Datas: speed, calorie, time, heart rate, etc.;Standard handhold hear rate test; 8 Professional exercise modes Play external USB flash disk music, Support Bluetooth to play music
Others	Movement Wheels, Water Bottle Holder	

Cardio Series

Elliptical



/CARDIO EQUIPMENT/

COMMERCIAL ELLIPTICAL

VENUS-XE



Specification	
Assemble Size	2172*793*1945 (LXWXHmm)
Max Load	200kg
Net Weight	214kg
Gross Weight	289kg
Color	Iron Gray, Silver Gray
Power Supply	220±20V AC 50/60HZ 10A
Incline	0 ~ 30%
Resistance Level	1-50
Resistance System	EMS resistance system
Stride	52cm
Brake System	\
Drivetrain System	Poly-V Belt
Heart Rate Test	Photodiode Sensor
Screen	LED screen
Console Functions	Spec: time, distance, calories, speed, heart rate, resistance etc. Programs: Target Mode, Preset Mode
Others	Hi-Fi Stereo Speaker, Movement Wheels, Water Bottle Holder, MP3 Earphone, USB Interface

/CARDIO EQUIPMENT/

COMMERCIAL ELLIPTICAL

VENUS-XE-TV1



Specification	
Assemble Size	2172*793*1945 (LXWXHmm)
Max Load	200kg
Net Weight	214kg
Gross Weight	289kg
Color	Iron Gray, Silver Gray
Power Supply	220±20V AC 50/60HZ 10A
Incline	0 ~ 30%
Resistance Level	1-50
Resistance System	EMS resistance system
Stride	52cm
Brake System	\
Drivetrain System	Poly-V Belt
Heart Rate Test	Photodiode Sensor
Screen	15.6" capacitive touch screen
Console Functions	Spec: time, distance, calories, speed, speed, power, heart rate, etc. Programs: Target Mode, Preset Mode and Apply Multimedia Multi-media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Hi-Fi Stereo Speaker, Movement Wheels, Water Bottle Holder, MP3 Earphone, USB Interface

/CARDIO EQUIPMENT/

COMMERCIAL ELLIPTICAL

VENUS-E6



Specification	
Assemble Size	2172mm×806mm×1915mm (L*W*H mm)
Max Load	180kg
Net Weight	207kg
Gross Weight	281kg
Color	Main Frame: Silver/Black Sand Pattern, Cover: Silver
Power Supply	AC 220V±20V 10A
Incline	0 ~ 30%
Resistance Level	1-40
Resistance System	EMS (Magnetic Motor Resistance System)
Stride Length	48cm
Drivetrain System	Poly-V Belt
Heart Rate Test	Photoplethysmography
Console	15.6" LED Display
Others:	Hi-Fi Stereo Speaker, Movement Wheels, Water Bottle Holder, MP3 Ear-phone, USB Interface
Console Functions	Spec: time, distance, calories, speed, heart rate, resistance etc. Programs: Target Mode, Preset Mode

/CARDIO EQUIPMENT/

COMMERCIAL ELLIPTICAL

VENUS-E6-TV1



Specification	
Assemble Size	2172mm×806mm×1915mm (L*W*H mm)
Max Load	180kg
Net Weight	207kg
Gross Weight	281kg
Color	Main Frame: Silver/Black Sand Pattern, Cover: Silver
Power Supply	AC 220V±20V 10A
Incline	0 ~ 30%
Resistance Level	1-40
Resistance System	EMS (Magnetic Motor Resistance System)
Stride Length	48cm
Drivetrain System	Poly-V Belt
Heart Rate Test	Photoplethysmography
Console	15.6" Touch Screen
Others:	Hi-Fi Stereo Speaker, Movement Wheels, Water Bottle Holder, MP3 Ear-phone, USB Interface
Console Functions	Spec: time, distance, calories, speed, speed, power, heart rate, etc. Programs: Target Mode, Preset Mode and Apply Multimedia Multi-media: Netflix, YouTube, TED, BBC News, Chrome etc.

/CARDIO EQUIPMENT/

COMMERCIAL ELLIPTICAL(SWAN SERIES)

Designed by famous Italian designers

F1-8618A



Specification	
Assemble Size	1980*740*1700 (LXWXHmm)
Max Load	150kg
Net Weight	108kg
Gross Weight	120kg
Color	Black Sand Pattern
Power Supply	Self-generator
Power	60 RPM Max pedaling power 430W
Resistance Level	1-32
Resistance System	Self-generator electromagnetic control system
Stride	410mm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	14Kg φ242 Two-way self-generator electromagnetic control flywheel
Screen	LED Screen
Console Functions	Display time, speed, calorie, rotating speed, distance, heart rate, resistance, Oxygen consumption, watt, etc.; 10 built-in exercise modes, 1 manual mode, 6 preset modes, 2 custom modes, 1 heart rate mode
Others	

/CARDIO EQUIPMENT/

COMMERCIAL ELLIPTICAL

F1-8618B

F1-8618B-TV3



Specification	LED	15.6' TV
Assemble Size	2260*700*1690 (LXWXHmm)	
Max Load	150kg	
Net Weight	93kg	
Gross Weight	112kg	
Color	Black Sand Pattern	
Power Supply	Self-generator	AC220±20V 10A
Power	60 RPM Max pedaling power 450W	
Resistance Level	1-40	
Resistance System	Self-generator electromagnetic control system	EMS resistance system
Stride	45cm	
Brake System	\	
Drivetrain System	Poly-V Belt	
Flywheel	14kg φ265mm	
Screen	LED Screen	15.6" capacitive touch screen
Console Functions	Display time, speed, calorie, distance, heart rate, resistance, etc.; 8 built-in exercise modes, 1 manual mode, 7 preset modes; Console has 1 minutes power of delay function	Spec: time, distance, calories, speed, speed, power, heart rate, etc. Programs: Target Mode, Preset Mode and Apply Multimedia Multi-media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Hi-Fi Stereo Speaker, Movement Wheels, Water Bottle Holder, MP3 Earphone, USB Interface	

/CARDIO EQUIPMENT/

SEMI-COMMERCIAL ELLIPTICAL

WNQ-7618A



Specification	
Assemble Size	1555*626*1553 (LXWXHmm)
Max Load	130kg
Net Weight	57kg
Gross Weight	63kg
Color	Black Sand Pattern
Power Supply	220VAC/50HZ
Power	60 RPM Max pedaling power 350W
Resistance Level	1-16
Resistance System	ECB motor permanent magnetic resistance system
Stride	400mm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	8.5Kg φ274 Two-way inner electromagnetic control flywheel
Screen	5" LCD Screen
Console Functions	Display time, speed, calorie, rotating speed, distance, heart rate, resistance, etc.; 17 built-in exercise modes, 1 heart rate response detection mode, 1 self-adjustment mode as needed, 1 body fat rate test mode, 4 heart rate value control modes, 4 custom modes
Others	Water Bottle Holder

/CARDIO EQUIPMENT/

SEMI-COMMERCIAL ELLIPTICAL

F1-7618B



Specification	
Assemble Size	1850*710*1780 (LXWXHmm)
Max Load	130kg
Net Weight	67kg
Gross Weight	75kg
Color	Silver Gray
Power Supply	220VAC/50HZ
Power	60 RPM Max pedaling power 350W
Resistance Level	1-16
Resistance System	ECB motor permanent magnetic resistance system
Stride	40cm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	8Kgs φ274 Two-way inner magnetic control flywheel
Screen	5" LCD Blue Backlight Screen
Console Functions	Display time, speed, calorie, rotating speed, distance, heart rate, resistance, etc.; 10 built-in exercise modes, 1 manual mode, 6 preset modes, 2 custom modes, 1 heart rate mode
Others	

/CARDIO EQUIPMENT/

COMMERCIAL ELLIPTICAL

F1-7618C



Specification	
Assemble Size	1760*680*1790 (LXWXHmm)
Max Load	130kg
Net Weight	85kg
Gross Weight	101kg
Color	Black
Power Supply	AC220±20V
Power	70 RPM Max pedaling power 350W
Resistance Level	1-16
Resistance System	Internal Magnetron + ECB Motor
Stride	40cm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	Bidirectional inner magnet 6kg
Screen	LCD Screen
Console Functions	Display time, speed, calorie, distance, heart rate, resistance, etc.;
Others	Water Bottle Holder

/CARDIO EQUIPMENT/

HOME USE ELLIPTICAL


WNQ-3618A



Specification	
Assemble Size	1425*620*1565 (LXWXHmm)
Max Load	110kg
Net Weight	50.1kg
Gross Weight	54.1kg
Color	Silver Gray
Power Supply	3VDC
Power	60 RPM Max pedaling power 215W
Resistance Level	1-8
Resistance System	magnetic resistance system
Stride	32cm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	7Kgs φ260 Two-way inner electromagnetic control flywheel
Screen	5" LCD Screen
Console Functions	Display time, speed, calorie, distance, heart rate, resistance, etc.;
Others	Water Bottle Holder

Cardio Series

Exercise Bike



/CARDIO EQUIPMENT/

COMMERCIAL UPRIGHT BIKE

F1-8318LC



Specification	
Assemble Size	1110*575*1340 (LXWXHmm)
Max Load	150kg
Net Weight	60kg
Gross Weight	69.5kg
Color	Black Sand Pattern
Power Supply	Self-generator
Power	60 RPM Max pedaling power 430W
Resistance Level	1-32
Resistance System	Self-generator electromagnetic control system
Stride	34cm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	14Kg φ242 One-way electromagnetic control flywheel
Screen	LED Screen
Console Functions	Display time, speed, calorie, distance, heart rate, resistance, etc.; 8 built-in exercise modes, 1 manual mode, 7 preset modes; Console has 1 minutes power of delay function
Others	Movement Wheels

/CARDIO EQUIPMENT/

COMMERCIAL UPRIGHT BIKE

F1-8318LC-TV3



Specification	
Assemble Size	1110*575*1340 (LXWXHmm)
Max Load	150kg
Net Weight	60kg
Gross Weight	69.5kg
Color	Black Sand Pattern
Power Supply	AC220±20V 10A
Power	60 RPM Max pedaling power 430W
Resistance Level	1-40
Resistance System	EMS resistance system
Stride	34cm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	14Kgs φ265 One-way electromagnetic control flywheel
Screen	15.6" capacitive touch screen
Console Functions	Spec: time, distance, calories, speed, power, heart rate, etc. Programs: Target Mode, Preset Mode and Apply Multimedia Multi-media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Hi-Fi Stereo Speaker, Movement Wheels, MP3 Earphone, USB Interface

COMMERCIAL RECUMBENT BIKE

F1-8318WD

F1-8318WD-TV3



Specification	LED	15.6" TV
Assemble Size	1885*630*1300 (LXWXHmm)	
Max Load	150kg	
Net Weight	85.4kg	
Gross Weight	100.5kg	
Color	Black Sand Pattern	
Power Supply	Self-generator	AC220+20V 10A
Power	60 RPM Max pedaling power 430W	
Resistance Level	1-40	
Resistance System	Self-generator electromagnetic control system	EMS resistance system
Stride	34cm	
Brake System	\	
Drivetrain System	Poly-V Belt	
Flywheel	14Kgs φ265 One-way electromagnetic control flywheel	
Screen	LED Screen	15.6" capacitive touch screen
Console Functions	Display time, speed, calorie, distance, heart rate, resistance, etc.; 8 built-in exercise modes, 1 manual mode, 7 preset modes; Console has 1 minutes power of delay function	Spec: time, distance, calories, speed, speed, power, heart rate, etc. Programs: Target Mode, Preset Mode and Apply Multimedia Multi-media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Hi-Fi Stereo Speaker, Movement Wheels	

COMMERCIAL UPRIGHT BIKE

F1-8318LB



Specification	
Assemble Size	1205*550*1560 (LXWXHmm)
Max Load	150kg
Net Weight	58.6kg
Gross Weight	66.2kg
Color	Black Sand Pattern
Power Supply	Self-generator
Power	60 RPM Max pedaling power 430W
Resistance Level	1-32
Resistance System	Self-generator electromagnetic control system
Stride	34cm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	14Kg φ242 One-way self-generator electromagnetic control flywheel
Screen	LED Screen
Console Functions	Display time, speed, calorie, rotating speed, distance, heart rate, resistance, Oxygen consumption, watt, etc.; 10 built-in exercise modes, 1 manual mode, 6 preset modes, 2 custom modes, 1 heart rate mode
Others	Water Bottle Holder

/CARDIO EQUIPMENT/

COMMERCIAL RECUMBENT BIKE



F1-8318WB

Specification	
Assemble Size	1754*658*1341 (LXWXHmm)
Max Load	150kg
Net Weight	83.5kg
Gross Weight	96.5kg
Color	Black Sand Pattern
Power Supply	Self-generator
Power	60 RPM Max pedaling power 430W
Resistance Level	1-32
Resistance System	Self-generator electromagnetic control system
Stride	34cm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	14Kg φ242 One-way self-generator electromagnetic control flywheel
Screen	LED Screen
Console Functions	Display time, speed, calorie, rotating speed, distance, heart rate, resistance, Oxygen consumption, watt, etc.; 10 built-in exercise modes, 1 manual mode, 6 preset modes, 2 custom modes, 1 heart rate mode
Others	

/CARDIO EQUIPMENT/

SEMI-COMMERCIAL UPRIGHT BIKE



F1-7318LC

Specification	
Assemble Size	1020*580*1470 (LXWXHmm)
Max Load	130kg
Net Weight	40.2kg
Gross Weight	44kg
Color	Silver Gray
Power Supply	220VAC/50HZ
Power	60 RPM Max pedaling power 350W
Resistance Level	1-16
Resistance System	ECB motor permanent magnetic resistance system
Stride	330mm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	7.1Kgs φ260 Two-way inner magnetic control flywheel
Screen	5" LCD Blue Backlight Screen
Console Functions	Display time, speed, calorie, rotating speed, distance, heart rate, resistance, etc.; 10 built-in exercise modes, 1 manual mode, 6 preset modes, 2 custom modes, 1 heart rate mode
Others	

/CARDIO EQUIPMENT/

SEMI-COMMERCIAL UPRIGHT BIKE

WNQ-7318LB



Specification	
Assemble Size	1180*542*1370 (LXWXHmm)
Max Load	130kg
Net Weight	35.2kg
Gross Weight	38.4kg
Color	Black Sand Pattern
Power Supply	220VAC/50HZ
Power	60 RPM Max pedaling power 350W
Resistance Level	1-16
Resistance System	ECB motor permanent magnetic resistance system
Stride	33cm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	8.7Kgs φ274 Two-way inner magnetic control flywheel
Screen	5" LCD Blue Backlight Screen
Console Functions	Display time, speed, calorie, rotating speed, distance, heart rate, resistance, etc.; 10 built-in exercise modes, 1 manual mode, 6 preset modes, 2 custom modes, 1 heart rate mode
Others	Water Bottle Holder

/CARDIO EQUIPMENT/

SEMI-COMMERCIAL RECUMBENT BIKE

WNQ-7318WB



Specification	
Assemble Size	1690*600*1100 (LXWXHmm)
Max Load	130kg
Net Weight	47.2kg
Gross Weight	50.4kg
Color	Black Sand Pattern
Power Supply	220VAC/50HZ
Power	60 RPM Max pedaling power 350W
Resistance Level	1-16
Resistance System	ECB motor permanent magnetic resistance system
Stride	32CM
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	8.7Kgs φ274 Two-way inner magnetic control flywheel
Screen	5" LCD Blue Backlight Screen
Console Functions	Display time, speed, calorie, rotating speed, distance, heart rate, resistance, etc.; 10 built-in exercise modes, 1 manual mode, 6 preset modes, 2 custom modes, 1 heart rate mode
Others	

SEMI-COMMERCIAL RECUMBENT BIKE

F1-7318WD



Specification	
Assemble Size	1727*645*1152 (LXWXHmm)
Max Load	130kg
Net Weight	55.1kg
Gross Weight	60.1kg
Color	Silver Gray
Power Supply	AC100-240V/50-60Hz DC9V/1.3A
Power	\
Resistance Level	1-16
Resistance System	ECB motor permanent magnetic resistance system
Stride	33cm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	8Kgs φ260 Two-way inner magnetic control flywheel
Screen	LCD Blue Backlight Screen
Console Functions	Display time, speed, calorie, rotating speed, distance, heart rate, resistance, etc.; 10 built-in exercise modes, 1 manual mode, 6 preset modes, 2 custom modes, 1 heart rate mode
Others	

COMMERCIAL STEPPER

F1-8718A

F1-8718A-TV3



Specification	LED	15.6" TV
Assemble Size	1320*850*1750 (LXWXHmm)	
Max Load	150kg	
Net Weight	94kg	
Gross Weight	106kg	
Color	Black Sand Pattern	
Power Supply	Self-generator	AC220±20V 10A
Power	60 RPM Max pedaling power 430W	
Resistance Level	1-32	1-40
Resistance System	Self-generator electromagnetic control system	EMS resistance system
Stride	68cm	
Brake System	\	
Drivetrain System	Poly-V Belt	
Flywheel	\	
Screen	LED Screen	15.6" capacitive touch screen
Console Functions	Display time, speed, calorie, distance, heart rate, resistance, etc.; 8 built-in exercise modes, 1 manual mode, 7 preset modes; Console has 1 minutes power of delay function	Spec: time, distance, calories, speed, speed, power, heart rate, etc. Programs: Target Mode, Preset Mode and Apply Multimedia Multi-media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Hi-Fi Stereo Speaker, Movement Wheels, Water Bottle Holder, MP3 Earphone, USB Interface	

HOME USE UPRIGHT BIKE

WNQ-3318LA



Specification	
Assemble Size	982*545*1395 (LXWXHmm)
Max Load	110kg
Net Weight	31.8kg
Gross Weight	35.7kg
Color	Silver Gray
Power Supply	3VDC
Power	60 RPM Max pedaling power 215W
Resistance Level	1-8
Resistance System	electromagnetism
Stride	32cm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	7kg φ260Two-way inner magnetic control flywheel
Screen	LCD
Console Functions	Display time, speed, calorie, rotating speed, distance, heart rate, resistance, etc.;
Others	Water Bottle Holder

HOME USE RECUMBENT BIKE

WNQ-3318WA



Specification	
Assemble Size	1720*650*1060 (LXWXHmm)
Max Load	110kg
Net Weight	51.4kg
Gross Weight	54.5kg
Color	Silver Gray
Power Supply	3VDC
Power	60 RPM Max pedaling power 215W
Resistance Level	1-8
Resistance System	electromagnetism
Stride	30cm
Brake System	\
Drivetrain System	Poly-V Belt
Flywheel	7Kgs φ260 Two-way inner magnetic control flywheel
Screen	LCD
Console Functions	Display time, speed, calorie, rotating speed, distance, heart rate, resistance, etc.;
Others	

/CARDIO EQUIPMENT/

COMMERCIAL STAIR CLIMBER

F1-8718B
F1-8718B-TV1



Specification	
Assemble Size	1500*910*1930 (LXWXHmm)
Max Load	200kg
Net Weight	190kg
Gross Weight	240kg
Color	Black Sand Pattern
Power Supply	220VAC ± 20V/50HZ or 60HZ 10A
Gear	L1-L16
Display Screen	LED Nixie tube+dot matrix 15.6-inch capacitive touch screen
Console Functions	Parameter display: time, distance, gear, steps, program, calories, heart rate, power time, distance, gear, steps, program, calories, heart rate, frequency; 8 programs: 1 manual mode, 7 preset modes Programs: Target Mode, Preset Mode and Apply Multimedia Multi-media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Handheld heartbeat and buttons (easy to operate)

/CARDIO EQUIPMENT/

HIP BEAUTY MACHINE


F1-8618F



Specification	
Assemble Size	1030*985*1700 (LXWXHmm)
Max Load	150kg
Net Weight	80kg
Color	Black Sand Pattern
Power Supply	Self generating
Resistance Level	L1-L16
Resistance System	Electromagnetic control system
Display Screen	LED Nixie tube+dot matrix
Console Functions	time, distance, resistance, rotational speed, program, speed, calories, heart rate; 8 programs: 1 manual mode, 7 preset modes
Others	Water Bottle Holder

Cardio Series

Commercial Spin Bike



/CARDIO EQUIPMENT/

COMMERCIAL SPIN BIKE

VENUS-B1



Specification	
Assemble Size	1165*570*1100 (LXWXHmm)
Max Load	150kg
Net Weight	46.5kg
Gross Weight	54.5kg
Color	Black cover+Red steel
Resistance System	Magnatic Resistance
Drivetrain System	Poly-V Belt
Brake System	Push down emergency braking
Adjustment	Handlebar adjustment: Up-Down, Saddle Adjustment: Front-Rear&Up-Down
Frame	2mm Flat Oval Tube
Flywheel	10.5Kg chrome
Main Shaft	φ20
Crank	Steel crank
Handlebar	φ32*2.0
Others	iconsole+sportsApp,Support bluetooth heart rate, Quick start, Intermittent training,Map Mode,Fixed output,training courses, AI training, Video selecting mode,etc

/CARDIO EQUIPMENT/

COMMERCIAL SPIN BIKE

VENUS-B3



Specification	
Assemble Size	1320*570*1495 (LXWXHmm)
Max Load	150kg
Net Weight	54kg
Gross Weight	59kg
Color	Black cover+Red steel
Resistance System	Magnatic Resistance
Drivetrain System	Poly-V Belt
Brake System	Push down emergency braking
Adjustment	Handlebar adjustment: Up-Down, Saddle Adjustment: Front-Rear&Up-Down
Frame	2mm Flat Oval Tube
Flywheel	10.5kg chrome
Main Shaft	φ20
Crank	Steel crank
Handlebar	φ32*2.0
Others	21.5" Android system screen,WIFI connection, Quick start, Intermittent mode,Map Mode,Real Mode,Media Entertainment

/CARDIO EQUIPMENT/

HOME USE SPIN BIKE



VENUS-B2

Specification	
Assemble Size	1413*565*1450 (LXWXHmm)
Max Load	100kg
Net Weight	44kg
Gross Weight	50kg
Color	Pearl White,Black ABS plastic bike cover
Resistance System	Magnatic Resistance System
Drivetrain System	Poly-V Belt
Brake System	Infinite Resistance Adjustment with Brake
Adjustment	Handlebar adjustment: Up-Down. Saddle Adjustment: Front-Rear&Up-Down
Frame	Carbon Steel, Powder coating
Flywheel	Rear flywheel, Steel, 8Kg (D430 rear flywheel, steel,clad aluminium)
Main Shaft	Commercial sealed bearing/high strength roughened 20 mm shaft
Crank	Steel crank
Handlebar	Thick anti slip foam handle
Others	21.5" Android system screen,WIFI connection, Quick start, Intermittent mode,Map Mode,Real Mode,Media Entertainment

/CARDIO EQUIPMENT/

HOME USE SPIN BIKE



VENUS-B6

Specification	
Assemble Size	1165*565*1072 (LXWXHmm)
Max Load	100kg
Net Weight	36kg
Gross Weight	42kg
Color	Pearl White,Black ABS plastic bike cover
Resistance System	Magnatic Resistance System
Drivetrain System	Poly-V Belt
Brake System	Push down emergency braking
Adjustment	Handlebar adjustment: Up & Down. Saddle Adjustment: Front & Rear, Up & Down
Frame	Carbon Steel, Powder coating
Flywheel	Rear flywheel, Steel, 8Kg (D430 rear flywheel, steel,clad aluminium)
Main Shaft	Commercial sealed bearing/high strength roughened 20 mm shaft
Crank	Steel crank
Handlebar	Thick anti-slip foam handlebar
Others	iconsole+sportsApp,Support bluetooth heart rate, Quick start, Intermittent training,Map Mode,Fixed output,training courses, AI training, Video selecting mode,etc

COMMERCIAL SPIN BIKE

F1-318M2

Specification	
Assemble Size	1200*620*1050 (长X宽X高mm)
Max Load	150kg
Net Weight	59kg
Gross Weight	66kg
Color	Black/White
Resistance System	Friction Resistance
Drivetrain System	Poly-V Belt
Brake System	Push down emergency braking
Adjustment	Handlebar adjustment: Up-Down, Saddle Adjustment: Front-Rear&Up-Down
Frame	2.0mm Flat Oval Tube
Flywheel	22KG solid chrome flywheel
Main Shaft	Commercial use sealed bearing/High Density extra thick 40mm axle
Crank	Commercial use crank
Handlebar	professional multiple positions anti-slip dip handlebar
Screen (Optional)	Big LCD Screen
Console Functions (Optional)	Display time, calorie, speed, distance, heart rate, resistance level, etc.
Others	Movement Wheels, Water Bottle Holder (Optional), iPad Bracket (Optional)


HOME USE SPIN BIKE

WNQ-318M1

Specification	
Assemble Size	1350*520*1020 (LXWXHmm)
Max Load	110kg
Net Weight	43kg
Gross Weight	48kg
Color	Bright Red
Resistance System	Friction Resistance
Drivetrain System	Chain
Brake System	Push down emergency braking
Adjustment	Handlebar adjustment: Up-Down, Saddle Adjustment: Front-Rear&Up-Down
Frame	1.5mm Tube
Flywheel	21KG solid chrome flywheel
Main Shaft	Home use sealed bearing/High Density extra thick 20mm axle
Crank	Home use crank
Screen	LCD Screen
Console Functions	Display time, speed, distance, rotating speed
Others	Water Bottle Holder

Cardio Series

Rowing Machine



COMMERCIAL ROWING MACHINE

F1-8218A
F1-8218A-TV3



Specification	LED	15.6" TV
Assemble Size	2300*850*1090 (LXWXHmm)	
Max Load	150kg	
Net Weight	63kg	
Gross Weight	72kg	
Color	Black Sand Pattern	
Power Supply	Self-generator	220VAC/50HZ
Power	60 RPM Max pedaling power 430W	
Resistance Level	1-40	
Resistance System	Self-generator electromagnetic control system	EMS resistance system
Exercise Stroke	100cm	
Drivetrain System	Flat Belt	
Flywheel	14Kgs φ242 electromagnetic control flywheel	
Screen	LED Screen	15.6" capacitive touch screen
Console Functions	Display time, rowing times, calorie, heart rate, resistance, etc.; Standard handhold hear rate test (Optional wireless heart rate test); 8 professional exercise modes, 1 manual mode, multiple preset modes; Console has 1 minutes power of delay function	Spec: time, distance, calories, speed, number of strokes, frequency, heart rate, etc. Programs: Reality Mode, Object Mode and Applied Multimedia Multi-media: Netflix, YouTube, TED, BBC News, Chrome etc.
Others	Hi-Fi Stereo Speaker, Movement Wheels, MP3 Earphone, USB Interface	

COMMERCIAL ROWING MACHINE

F1-8218C



Specification	
Assemble Size	2130*500*570 (LXWXHmm)
Net Weight	32kg
Gross Weight	40kg
Color	Wood color
Resistance system	Water resistance

Strength Equipment

5000/7000 Series



STRENGTH EQUIPMENT SINGLE STATION

F1-5001

Leg Extension



Specification	
Assemble Size	1250*1180*1515(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	242kg
Weight Stack	22 Pcs, 5kg (11lbs) each
Exercise Part	Quadriceps Femoris, Gastrocnemius, Soleus Muscle, etc.

F1-5002

Prone Leg Curl



Specification	
Assemble Size	1650*1170*1515(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	203kg
Weight Stack	16 Pcs, 5kg (11lbs) each
Exercise Part	Biceps Femoris, Gastrocnemius, Soleus Muscle, etc.

F1-5007

Ab Machine



Specification	
Assemble Size	1255*1010*1515(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	194kg
Weight Stack	16 Pcs, 5kg (11lbs) each
Exercise Part	Abdominal Muscle, External Oblique Muscle, etc.

F1-5008

Low Back



Specification	
Assemble Size	1217*1070*1515(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	220kg
Weight Stack	16 Pcs, 5kg (11lbs) each
Exercise Part	Superficial Dorsal Muscle, Deep Back Muscles, Back Fascia, etc.

STRENGTH EQUIPMENT SINGLE STATION

F1-5009

Waist Rotary



Specification	
Assemble Size	1020*1270*1515(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	200kg
Weight Stack	16 Pcs, 5kg (11lbs) each
Exercise Part	Abdominal Oblique, External Oblique Muscle, Lumbar Muscle, etc.

F1-5012

Triceps



Specification	
Assemble Size	1200*1055*1515(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	194kg
Weight Stack	16 Pcs, 5kg (11lbs) each
Exercise Part	Triceps, etc.

F1-5011

Biceps



Specification	
Assemble Size	1000*1100*1515(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	180kg
Weight Stack	16 Pcs, 5kg (11lbs) each
Exercise Part	Biceps, etc.

F1-5013

Triceps Dip



Specification	
Assemble Size	1245*1120*1524(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	224kg
Weight Stack	22 Pcs, 5kg (11lbs) each
Exercise Part	Triceps, Pectoral Muscle, Deltoid Muscle, etc.

STRENGTH EQUIPMENT SINGLE STATION

F1-5015

Shoulder Raise



Specification	
Assemble Size	1265*1290*1515(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	235kg
Weight Stack	16 Pcs, 5kg (11lbs) each
Exercise Part	Deltoid Muscle, Trapezius, etc.

F1-5027

Seated Leg Curl



Specification	
Assemble Size	1630*1185*1515(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	270kg
Weight Stack	12 Pcs, 9.1kg (20lbs) each
Exercise Part	Biceps Femoris, Gastrocnemius, etc.

STRENGTH EQUIPMENT SINGLE STATION

F1-5203

Seated Leg Press



Specification	
Assemble Size	1833*1205*1665(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	437.1kg
Weight Stack	19 Pcs, 9.1kg (20lbs) each
Exercise Part	Quadriceps Femoris, Biceps Femoris, Gluteus Maximus etc.

F1-5214

Shoulder Press



Specification	
Assemble Size	1293*1255*1755(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	234kg
Weight Stack	16 Pcs, 5kg (11lbs) each
Exercise Part	Deltoid Muscle, Trapezius, etc.

F1-5036

Peck Fly/Rear Deltoid



Specification	
Assemble Size	1420*785*1980(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	260kg
Weight Stack	22 Pcs, 5kg (11lbs) each
Exercise Part	Pectoralis Major, Pectoralis Minor, Serratus Anterior, etc.

F1-5043

Abductor/Adductor



Specification	
Assemble Size	1790*785*1515(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	240kg
Weight Stack	22 Pcs, 5kg (11lbs) each
Exercise Part	Abductor Thighs, Adductor Thighs, etc.

F1-5218

Chest Extension



Specification	
Assemble Size	762*1395*1980(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	230kg
Weight Stack	22 Pcs, 5kg (11lbs) each
Exercise Part	Pectoralis Major, Deltoid Muscle, etc.

F1-5220

Seated Rowing



Specification	
Assemble Size	1425*1190*1665(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	252.4kg
Weight Stack	22 Pcs, 5kg (11lbs) each
Exercise Part	Great Round Muscle, Latissimus Dorsi, etc.

/ 5000 SERIES /

STRENGTH EQUIPMENT SINGLE STATION

F1-5222

Chest Press



Specification	
Assemble Size	1432*1091*1980(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	275.2kg
Weight Stack	22 Pcs, 5kg (11lbs) each
Exercise Part	Pectoralis Major, Deltoid Muscle, etc.

F1-5235

Lat Pulldown



Specification	
Assemble Size	1540*1245*2035(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	252kg
Weight Stack	22 Pcs, 5kg (11lbs) each
Exercise Part	Trapezius, Great Round Muscle,

/ 5000 SERIES /

STRENGTH EQUIPMENT SINGLE STATION

F1-2046

Lat Pulldown/Low Row



Specification	
Assemble Size	1710*1198*2212(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	227kg
Weight Stack	26 Pcs, 5kg (11lbs) each
Exercise Part	Trapezius, Latissimus Dorsi, Deltoid Muscle, Great Round Muscle, etc.

F1-2037

Chin Dip Assit



Specification	
Assemble Size	1395*955*2180(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	262.8kg
Weight Stack	10 Pcs, 9.1kg (20lbs) each
Exercise Part	Trapezius, Latissimus Dorsi, Deltoid Muscle, Biceps, Triceps, etc.

F1-2040

Leg Extension/Leg Curl



Specification	
Assemble Size	1255*1042*1590(LXWXHmm)
Packing Size	\
Color	Black Sand Pattern
Net Weight	280kg
Weight Stack	22 Pcs, 5kg (11lbs) each
Exercise Part	Quadriceps Femoris, Biceps Femoris, Gluteus Maximus, etc.

STRENGTH EQUIPMENT SINGLE STATION

F1-7001

Leg Extension



Specification	
Assemble Size	1375*1020*1600(LXWXHmm)
Packing Size	1460*970*590(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	246kg / 276.5kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Quadriceps Femoris, Rectus Femoris, Lateral Femoral Muscle, etc.

F1-7002

Prone Leg Curl



Specification	
Assemble Size	1625*980*1600(LXWXHmm)
Packing Size	1460*970*510(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	225kg / 269kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Gluteus Maximus, Biceps Femoris, etc.

F1-7003

Glute



Specification	
Assemble Size	1870*946*1600(LXWXHmm)
Packing Size	1790*990*510(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	208kg / 267kg
Weight Stack	10 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Gluteus Maximus, Soleus Muscle, Rectus Femoris, Lateral Femoral Muscle, etc.

F1-7007

Ab Machine



Specification	
Assemble Size	1465*1110*1600mm(LXWXHmm)
Packing Size	1475*965*639(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	224kg / 268.5kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Abdominal Muscle, External Oblique Muscle, etc.

STRENGTH EQUIPMENT SINGLE STATION

F1-7009

Waist Rotary



Specification	
Assemble Size	1150*1035*1600(LXWXHmm)
Packing Size	1475*965*639(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	228kg / 267.5kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Abdominal Oblique, External Oblique Muscle, etc.

F1-7013

Triceps Dip



Specification	
Assemble Size	1560*1155*1600(LXWXHmm)
Packing Size	1480*1170*604(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	257kg / 303kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Triceps, etc.

F1-7011

Biceps



Specification	
Assemble Size	1285*1317*1600(LXWXHmm)
Packing Size	1460*970*675(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	248kg / 285kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Biceps, etc.

F1-7015

Shoulder Raise



Specification	
Assemble Size	1120*1385*1600(LXWXHmm)
Packing Size	1480*970*540(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	247kg / 285kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Deltoid Muscle, Trapezius, etc.

STRENGTH EQUIPMENT SINGLE STATION

F1-7027

Seated Leg Curl



Specification	
Assemble Size	1680*1005*1600(LXWXHmm)
Packing Size	1460*970*674(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	261kg / 301kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Biceps Femoris, Quadriceps Femoris, etc.

F1-7037

Chin Dip Assit



Specification	
Assemble Size	910*1376*2352(LXWXHmm)
Packing Size	2300*990*654 (mm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	281kg / 336kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Trapezius, Latissimus Dorsi, Biceps, Triceps, etc.

F1-7203

Seated Leg Press



Specification	
Assemble Size	1850*1185*1600(LXWXHmm)
Packing Size	1660*990*680 (mm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	368kg / 435kg
Weight Stack	19 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Quadriceps Femoris, Biceps Femoris, Gluteus Maximus etc.

F1-7214

Shoulder Press



Specification	
Assemble Size	1412*1552*1600(LXWXHmm)
Packing Size	1460*1120*634(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	264kg / 303kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Deltoid Muscle, Trapezius, etc.

STRENGTH EQUIPMENT SINGLE STATION

F1-7220

Back Extension



Specification	
Assemble Size	1415*1235*1600(LXWXHmm)
Packing Size	1460*1120*674(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	244kg / 283.5kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Back Muscles, Deltoid Muscle, Biceps, etc.

F1-7235

Lat Pulldown



Specification	
Assemble Size	1410*1460*1825(LXWXHmm)
Packing Size	1525*930*567(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	250kg / 292.5kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Latissimus Dorsi, Biceps

F1-7222

Chest Press



Specification	
Assemble Size	1530*1477*1820(LXWXHmm)
Packing Size	1760*1120*564(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	256kg / 321kg
Weight Stack	12 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Pectoralis Major, Deltoid Muscle, etc.

F1-7036

Chest Extension



Specification	
Assemble Size	1323*1713*2046(LXWXHmm)
Packing Size	2116*1016*621(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	248kg / 290kg
Weight Stack	10 Pcs, 9.1Kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Pectoralis Major, Deltoid Muscle, etc.

STRENGTH EQUIPMENT SINGLE STATION & FREE WEIGHT

F1-7043

Abductor/Adductor



Specification	
Assemble Size	1785*907*1600(LXWXHmm)
Packing Size	1620*1030*884(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	248kg / 295kg
Weight Stack	12 Pcs, 9.1kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Abductor Thighs, Adductor Thighs, etc.

F1-7046

Lat Pulldown/Low Row



Specification	
Assemble Size	1864*1547*2300(LXWXHmm)
Packing Size	2116*890*645(LXWXHmm)
Color	Frame: Dark Gray , Shrouds: Matte Gray
Net Weight/ Gross Weight	269.5kg / 305.5kg
Weight Stack	12 Pcs, 9.1kg (20lbs) each
Console	5" LCD Screen, display Calorie and Weight selected 7" IPS HD Touch Screen, Intelligent Console (*Optional)
Exercise Part	Trapezius, Latissimus Dorsi, Deltoid Muscle, Great Round Muscle, etc.

F1-7059

Flat Bench



Specification	
Assemble Size	1175*710*450(LXWXHmm)
Packing Size	1120*420*245(LXWXHmm)
Color	Frame: Dark Gray , Thread: Red
Net Weight/ Gross Weight	21kg / 26kg
Pads	Foam PU + High-end Automotive Leather
Tube	PT120*60*2.5/PT100*50*3
Function	Assistive equipment, which can be supplemented with dumbbells, barbells, kettlebells or body exercises to exercise the chest, back, abdomen, biceps, triceps, etc.

F1-7061

Ab Bench



Specification	
Assemble Size	1705*810*883(LXWXHmm)
Packing Size	1760*580*260(LXWXHmm)
Color	Frame: Dark Gray , Thread: Red
Net Weight/ Gross Weight	37kg / 44.5kg
Pads	Foam PU + High-end Automotive Leather
Tube	PT120*60*2.5/PT100*50*3
Exercise Part	Abdominal Muscle, External Oblique Muscle, etc.

STRENGTH EQUIPMENT SINGLE STATION & FREE WEIGHT

F1-7078

Olympic Bench Flat



Specification	
Assemble Size	1200*1300*1280(LXWXHmm)
Packing Size	1350*680*300(LXWXHmm)
Color	Frame: Dark Gray , Thread: Red
Net Weight/ Gross Weight	54kg / 60kg
Pads	Foam PU + High-end Automotive Leather
Tube	PT120*60*2.5/PT100*50*3/φ48*3
Exercise Part	Pectoralis Major, Deltoid Muscle, etc.

F1-7079

Olympic Bench Incline



Specification	
Assemble Size	1505*1300*1620(LXWXHmm)
Packing Size	1700*860*320(LXWXHmm)
Color	Frame: Dark Gray , Thread: Red
Net Weight/ Gross Weight	70kg / 77kg
Pads	Foam PU + High-end Automotive Leather
Tube	PT120*60*2.5/PT100*50*3/φ48*3
Exercise Part	Pectoralis Major, Deltoid Muscle, Triceps etc.

F1-7088

Four Stations Multi-Functional Machine



Specification	
Assemble Size	3450*1640*2480(LXWXHmm)
Packing Size	2460*960*824(LXWXHmm)
Color	Frame: Dark Gray
Weight Stack	96 Pcs, 5kg (11lbs) each
Tube	PT120*60*2.5/PT100*50*3/PT80*40*3/φ48*3/φ32*3
Handles	Powdery Coated Tubes with Foam Grips, Aluminum End Caps
Chain, Snap Link	Galvanized Carbon Steel
Pulley	High-strength ABS Pulley
Exercise Part	Pectoralis Major, Biceps, Triceps, Latissimus Dorsi, Trapezius, Deltoid, Small Round Muscle, Serratus Anterior etc.

/ 7000 SERIES /

STRENGTH EQUIPMENT SINGLE STATION & FREE WEIGHT

F1-7093

Back Extension



Specification

Assemble Size	1317*807*890(LXWXHmm)
Packing Size	1120*690*370(LXWXHmm)
Color	Frame: Dark Gray , Thread: Red
Net Weight/ Gross Weight	43kg / 51.5kg
Pads	Foam PU + High-end Automotive Leather
Tube	PT120*60*2.5/PT100*50*3/φ48*3
Exercise Part	Erector Spinae, Upside Gluteus



Strength Equipment

W2000 Series

STRENGTH EQUIPMENT SINGLE STATION & FREE WEIGHT

W2001

Chest Press & Back Pulling



Specification	
Assemble Size	1450*1115*2100(LXWXHmm)
Packing Size	2100*1015*525(LXWXHmm)
Color	Frame: Gray Sand Pattern, Side Shrouds: Pearl Red, Shrouds: Dark Gray Sand Pattern
Net Weight/ Gross Weight	213kg ; 262kg
Weight Stack	11 Pcs, 4.60kg (10lbs) each
Function	Seated Chest Press, Seated Rowing
Exercise Part	Upper pectoral muscles, biceps, deltoid shoulder muscles, back muscles, etc.

W2002

Lat Pulldown & Low Row



Specification	
Assemble Size	1985*1270*2100(LXWXHmm)
Packing Size	2100*1050*485(LXWXHmm)
Color	Frame: Gray Sand Pattern, Side Shrouds: Pearl Red, Shrouds: Dark Gray Sand Pattern
Net Weight/ Gross Weight	190.5kg ; 251.5kg
Weight Stack	11 Pcs, 4.60kg (10lbs) each
Function	Low Row, Lat Pulldown
Exercise Part	Latissimus dorsi, large round muscle, trapezius, rhomboid muscle.

W2003

Pulling Machine



Specification	
Assemble Size	1605*1205*2100(LxWxH mm)
Packing Size	2100*1050*485(LxWxH mm)
Color	Frame: Gray Sand Pattern, Side Shrouds: Pearl Red, Shrouds: Dark Gray Sand Pattern
Net Weight/ Gross Weight	202kg ; 234kg
Weight Stack	11 Pcs, 4.6kg (10lbs) each
Function	Arm Pushdown, Stand Rowing
Exercise Part	Latissimus dorsi, triceps, biceps, deltoid

W2004

Peck Fly & Rear Deltiod



Specification	
Assemble Size	1444*1498*2105(LxWxH mm)
Packing Size	2175*1050*515(LxWxH mm)
Color	Frame: Gray Sand Pattern, Side Shrouds: Pearl Red, Shrouds: Dark Gray Sand Pattern
Net Weight/ Gross Weight	209.5kg ; 258.5kg
Weight Stack	11 Pcs, 4.6kg (10lbs) each
Function	Peck Fly, Rear Deltiod
Exercise Part	Biceps, triceps, gluteal muscles, gluteal muscles

STRENGTH EQUIPMENT SINGLE STATION & FREE WEIGHT

W2005

Leg Training Machine



Specification	
Assemble Size	2278*1430*1965(LXWXHmm)
Packing Size	1880*1050*500(LXWXHmm)
Color	Frame: Gray Sand Pattern, Side Shrouds: Pearl Red, Shrouds: Dark Gray Sand Pattern
Net Weight/ Gross Weight	293kg ; 311kg
Weight Stack	11 Pcs, 4.60kg (10lbs) each
Function	Leg Press
Exercise Part	Quadriceps, Gluteus maximus, Gastrocnemius

W2007

Ab Curl & Back Extension



Specification	
Assemble Size	1250*1225*1965(LxWxH mm)
Packing Size	1880*1050*676(LxWxH mm)
Color	Frame: Gray Sand Pattern, Side Shrouds: Pearl Red, Shrouds: Dark Gray Sand Pattern
Net Weight/ Gross Weight	191.5kg ; 242kg
Weight Stack	11 Pcs, 4.6kg (10lbs) each
Function	Ab Curl, Low Back
Exercise Part	Abdominal and back muscles

W2006

Leg Curl & Leg Extension



Specification	
Assemble Size	1755*1430*1965(LXWXHmm)
Packing Size	1875*1015*660(LXWXHmm)
Color	Frame: Gray Sand Pattern, Side Shrouds: Pearl Red, Shrouds: Dark Gray Sand Pattern
Net Weight/ Gross Weight	240.5kg ; 260.5kg
Weight Stack	11 Pcs, 4.60kg (10lbs) each
Function	Leg Extension, Leg Curl
Exercise Part	Thigh muscles, calf muscles, abs

W2008

Biceps & Triceps



Specification	
Assemble Size	1112*1250*1965(LxWxH mm)
Packing Size	box1: 1880*1060*230 (LxWxH mm) box2: 1190*980*530 (LxWxH mm)
Color	Frame: Gray Sand Pattern, Side Shrouds: Pearl Red, Shrouds: Dark Gray Sand Pattern
Net Weight/ Gross Weight	206kg ; 238kg
Weight Stack	11 Pcs, 4.6kg (10lbs) each
Function	Biceps, Triceps
Exercise Part	Biceps, Triceps, Forearm

STRENGTH EQUIPMENT SINGLE STATION & FREE WEIGHT

W2009

Hip & Leg Training Machine



Specification	
Assemble Size	1275*1410*1965(LxWxH mm)
Packing Size	1870*1015*630(LxWxH mm)
Color	Frame: Gray Sand Pattern, Side Shrouds: Pearl Red, Shrouds: Dark Gray Sand Pattern
Net Weight/ Gross Weight	202.5kg ; 259.5kg
Weight Stack	11 Pcs, 4.6kg (10lbs) each
Function	Leg Extension, Leg Side Lift
Exercise Part	Gluteus, medialis femoris, lateral femur, biceps femoris

W2010

Chin Dip Assist



Specification	
Assemble Size	1590*1285*2210(LxWxH mm)
Packing Size	1875*1020*655(LxWxH mm)
Color	Frame: Gray Sand Pattern, Side Shrouds: Pearl Red, Shrouds: Dark Gray Sand Pattern
Net Weight/ Gross Weight	253kg ; 309kg
Weight Stack	14 Pcs, 4.6kg (10lbs) each
Function	Chin Up, Did, Parallel Bars
Exercise Part	Biceps, Triceps, Forearm, Latissimus Dorsi, Pectoralis Major

W2011

Dumbbell Rack



Specification	
Assemble Size	1685*840*1110(LXWXHmm)
Packing Size	1440*890*440(LXWXHmm)
Color	Gray Sand Pattern
Net Weight/ Gross Weight	101kg ; 123.5kg
Tube	100*50*2.0 Square Tube, φ76*3.0 Round Tube
Function	Place dumbbell

W2012

Connection Beam



Specification	
Assemble Size	2920*365*191(LXWXHmm)
Packing Size	1210*400*230(LXWXHmm)
Color	Gray Sand Pattern
Net Weight/ Gross Weight	22kg ; 30kg
Tube	100*50*2.0 Flat Oval Tube
Function	Cable crossover connection bar, Chin Up

STRENGTH EQUIPMENT SINGLE STATION & FREE WEIGHT

W2013

Flat to Incline Bench



Specification	
Assemble Size	1429*775*468(LXWXHmm)
Packing Size	1410*540*450(LXWXHmm)
Color	Gray Sand Pattern
Net Weight/ Gross Weight	50kg ; 55kg
Tube	100*50*2.0 Square Tube, φ50*100*2.0 Oval Tube
Function	Exercise with other equipment (bench press), cable cross over, sit-ups, seated shoulders press, lean over one-arm rowing, etc

W2014

Central Tower



Specification	
Assemble Size	880*880*1920(LXWXHmm)
Packing Size	1860*900*500(LXWXHmm)
Color	Gray Sand Pattern
Net Weight/ Gross Weight	151.5kg ; 189.5kg
Tube	100*50*2.0 Square Tube, φ50*100*2.0 Oval Tube
Function	It can replace the weight stack rack of 4 sets W2000 series products, and combine any 4 of 10 W2000 series products with this product to become a 4-station training machine. If combined with W2003 products and intermediate connection beam W2012, it can be extended W2000 series products to connect more stations.

W2000

Multi Stations



Specification	
Introduction	There are 10 sets dual functions equipment for W2000 series, each equipment has two functions, each can be used independently or in any combination. Tube: Mainly designed with multiple tube diameters, the largest tube diameter is 114 * 2T, 100 * 50 * 3.0T flat oval tube, laser cutting tube and plate, with sufficient material, direct contact with human body parts avoid using plastic materials, foot palte use cross grain plate. Features: The W2000 series can be used independently to meet various exercise needs, when combined with the center tower and the connection beam, it can save the cost and the space greatly, and solve the problem of multiple people queuing for one equipment.

MEIGE A Series

A48

Smith Machine



MEIGE A SERIES

Free Weight

F1-A44

Dumbbell Rack



Specification	
Assemble Size	1040*702*1150(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	74kg
Function	Place dumbbell

F1-A84

Dumbbell Rack



Specification	
Assemble Size	2440*540*910(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	88kg
Function	Place dumbbell

F1-A59

Flat Bench



Specification	
Assemble Size	1412*555*464(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	25kg
Function	Sit-up or exercise with dumbbells

F1-A65

Stretch Machine



Specification	
Assemble Size	1427*590*1300(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	40kg
Function	Back muscles and biceps femoris stretching

Free Weight

F1-A61

Ab Bench



Specification	
Assemble Size	1600*620*700(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	50kg
Function	Sit-up

F1-A62

Preacher Curl



Specification	
Assemble Size	1206*823*1040(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	74kg
Function	Exercise with ez curl bar for biceps arm curl

F1-A63C

Dip Leg Raise



Specification	
Assemble Size	1500*1150*2182(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	99.4kg
Function	Chin up, Leg raise, Parallel bars

F1-A67

Weight Tree



Specification	
Assemble Size	665*560*920(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	27.5kg
Function	Place barbell

Free Weight

F1-A77

Multi-Function Bench



Specification	
Assemble Size	1674*633*925(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	58kg
Function	Sit-up

F1-A85

Flat to Incline Bench



Specification	
Assemble Size	1422*545*510(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	44.5kg
Function	Exercise with dumbbell

F1-A87

Press Chair



Specification	
Assemble Size	900*675*970(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	25.5kg
Function	Seated shoulder press

F1-A93

Back Extension



Specification	
Assemble Size	1165*745*965(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	47.5kg
Function	Back extension

Free Weight

F1-A78

Olympic Bench Flat



Specification	
Assemble Size	1550*1665*1280(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	74kg
Function	Flat press

F1-A80

Olympic Bench Decline



Specification	
Assemble Size	1994*1665*1300(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	89kg
Function	Decline press

F1-A79

Olympic Bench Incline



Specification	
Assemble Size	1770*1665*1602(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	112kg
Function	Incline press

F1-A881

T Bar Rowing Machine



Specification	
Assemble Size	1900*840*578(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	62kg
Function	Rowing

Free Weight

WNQ-918D

Ab Bench



Specification	
Assemble Size	1350*440*700(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	14kg
Function	Sit-up

WNQ F1-PFID125W

Multi-functional Bench



Specification	
Assemble Size	1440*480*700(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	24kg
Function	Sit-up, Weight lifting, Matching dumbbell to do fly bird and so on.on.

Free Weight

F1-A414

Vertical Shoulder Press



Specification	
Assemble Size	1375*1340*1403(LXWXHmm)
Frame Color	Black Sand Pattern/Yellow
Gross Weight	117.5kg
Function	Shoulder press

F1-A416

Flat Chest Press



Specification	
Assemble Size	1700*1495*1008(LXWXHmm)
Frame Color	Black Sand Pattern/Yellow
Gross Weight	117kg
Function	Chest press

Free Weight

F1-A435

Lat Pulldown



Specification	
Assemble Size	1735*1445*2120(LXWXHmm)
Frame Color	Black Sand Pattern/Yellow
Gross Weight	144.5kg
Function	Lat pulldown

F1-A678

Olympic Flat Bench



Specification	
Assemble Size	1660*1665*1320(LXWXHmm)
Frame Color	Black Sand Pattern/Yellow
Gross Weight	110kg
Function	Flat press

F1-A417

Incline Shoulder Press



Specification	
Assemble Size	2010*1445*1150(LXWXHmm)
Frame Color	Black Sand Pattern/Yellow
Gross Weight	145.5kg
Function	Shoulder press

F1-A422

Upright Chest Press



Specification	
Assemble Size	1731*1227*1981(LXWXHmm)
Frame Color	Black Sand Pattern/Yellow
Gross Weight	210kg
Function	Chest press

F1-A679

Olympic Bench Incline



Specification	
Assemble Size	1881*1665*1628(LXWXHmm)
Frame Color	Black Sand Pattern/Yellow
Gross Weight	154kg
Function	Incline press

F1-A680

Olympic Bench Decline



Specification	
Assemble Size	2100*1665*1320(LXWXHmm)
Frame Color	Black Sand Pattern/Yellow
Gross Weight	140kg
Function	Decline press

Free Weight



F1-A52

Huck Squat Machine

Specification	
Assemble Size	1772*1316*1533(LXWXHmm)
Frame Color	Black Sand Pattern/Yellow
Gross Weight	197.5kg
Function	Squats

Free Weight



F1-A55

Glute Machine

Specification	
Assemble Size	1690*1420*855(LXWXHmm)
Frame Color	Black Sand Pattern/Yellow
Gross Weight	96.5kg
Function	Gluteal bridge movement



F1-A50

Huck Squat Machine

Specification	
Assemble Size	2320*1562*1656(LXWXHmm)
Frame Color	Black Sand Pattern/Yellow
Gross Weight	290kg
Function	Squats



F1-A51

45° Leg Press

Specification	
Assemble Size	2257*1655*1750(LXWXHmm)
Color	Black Sand Pattern
Gross Weight	300kg
Function	45° Leg press

Multi Function

F1-2044

Functional Trainer



Specification	
Assemble Size	1925x1010x2255(LXWXHmm)
Color	Black Sand Pattern
Gross Weight	478.5kg
Weight Stack	38 Pcs, 5kg (11lbs) each
Tube	Φ76*3.0 Round Tube
Shroud	Plastic (ABS)
Cable	Highly flexible oil-containing cable
Function	Chin up, Rowing, Chest extension, Push Down, Etc.

F1-A48

Smith Machine



Specification	
Assemble Size	2263*1210*2191(LXWXHmm)
Color	Black Sand Pattern
Gross Weight	284kg
Tube	Φ114*3 / Φ76*3
Function	Squat, Shoulder press, Rowing

Multi Function

F1-A694

Power Rack



Specification	
Assemble Size	1860*1880*2450(LXWXHmm)
Color	Black Sand Pattern
Gross Weight	275kg
Tube	100*75*4.5mm
Function	Squat, Chin up, Weightlifting

F1-A694

Power Rack with Weightlifting Platform



Specification	
Assemble Size	3016*2394*2450(LXWXHmm)
Color	Black Sand Pattern
Gross Weight	421kg
Tube	100*75*4.5mm
Function	Squat, Chin up, Weightlifting

Multi Function

V-2048

Muti Function Smith Machine and Function Trainer



Specification	
Assemble Size	2740*1650*2520(LXWXHmm)
Color	Black Sand Patern
Gross Weight	536kg
Weight Stack	34 Pcs, 4.6 kg (10lbs) each
Tube	50*120 Square Tube & 50*100 Flat Oval Tube
Guide Rod	Φ25 No.45 Steel
Shroud	Using high-quality cold-rolled steel plate, thickness: 1.5mm
Function	Squat, Chest extension, Chin up, Rowing, Biceps curl, Arm pushdown, Shoulder press, Exercising whole body muscle groups

V-690

Power Rack



Specification	
Assemble Size	2754*1625*2401(LXWXHmm)
Color	Light Black, Dark Night Green
Gross Weight	268kg
Weight Stack	\
Tube	89*89 Square Tube
Function	Exercise Your thighs, Tbia, And thigh muscles, While strengthening bones, Ligaments and tendons across the lower body

Multi Function

F1-2024

Cable Crossover



Specification	
Assemble Size	3294*784*2266(LXWXHmm)
Color	Black Sand Pattern
Weight Stack	20 Pcs, 9.1kg (20lbs) each
Tube	150*50*t2.0, 120*50*t2.0
Shroud	Plastic (ABS)
Cable	Highly flexible oil-containing cable
Function	Chin up, Biceps curl, Chin up,Etc.

WNQ-5518KA

Smith Machine



Specification	
Assemble Size	1282*2176*2275(LXWXHmm)
Color	Black Sand Pattern
Gross Weight	244kg
Weight Stack	\
Tube	100*50*t2.0
Function	Squat, Shoulder press, Rowing

/MEIGE A SERIES/

Multi Function

WNQ-3518HC

Cable Crossover



Specification	
Assemble Size	3500*970*2400(LXWXHmm)
Frame Color	Silver Gray
Gross Weight	320kg
Function	Gluteal bridge movement

WNQ-3518MB

Tower Dumbbell Stand



Specification	
Assemble Size	580*540*1116(LXWXHmm)
Frame Color	Black Sand Pattern
Gross Weight	23kg
Function	Place dumbbell

/MEIGE A SERIES/

Multi Function

F1-A1

Massage Chair



Specification	
Assemble Size	1480*800*900(LXWXHmm)
Frame Color	Red
Gross Weight	111kg
Function	Full-Body Massage, Auto Programs, Zero Gravity, Heat Therapy, Air Compression, Adjustable Intensity, Foot Rollers, Bluetooth/USB

518ED

518

Integrated Series

3 Stations Home Gym



518 Series

Integrated Machine

F1-518BI

Standard 5 Stations Home Gym



Specification	
Assemble Size	2090*2143*2130(LXWXHmm)
Color	Black Sand Pattern
Gross Weight	360.5kg
Weight Stack	30 Pcs, 4.5kg (10lbs) each
Tubes	F50*50*2, J50*25*2, F30*38*2, φ32*3, φ25*2.5
Pulley	High Strength Plastic Pulley
Cable	Highly flexible oil-containing cable
Function	Chest extension, kicking, leg press, lat pulldown, low row, sit push, sit-up, etc.

F1-518BL

3 Stations Home Gym



Specification	
Assemble Size	2765*2524*2062(LXWXHmm)
Color	Black Sand Pattern
Gross Weight	377.5kg
Weight Stack	30 Pcs, 4.5kg (10lbs) each
Tubes	F50*50*2, J50*25*2, F30*38*2, φ32*3, φ25*2.5
Pulley	High Strength Plastic Pulley
Cable	Highly flexible oil-containing cable
Function	Leg press, kicking, chest extension, lat pulldown, low row, abdomen etc.

Integrated Machine

F1-518CI

Single Station Home Gym



Specification	
Assemble Size	1758*965*2124(LXWXHmm)
Color	Black Sand Pattern
Gross Weight	164.8kg
Weight Stack	15 Pcs, 4.5kg (10lbs) each
Tubes	F50*50*2, J50*25*2, F30*38*2, φ32*3, φ25*2.5
Pulley	High Strength Plastic Pulley
Cable	Highly flexible oil-containing cable
Function	Kicking, lat pulldown, low row, rowing, chest extension, etc.

F1-518EC

2 Station Home Gym



Specification	
Assemble Size	2184*1117*2046(LXWXHmm)
Color	Black Sand Pattern
Gross Weight	235kg
Weight Stack	15 Pcs, 4.5kg (10lbs) each
Tubes	F50*50*2, J50*25*2, F30*38*2, φ32*3, φ25*2.5
Pulley	High Strength Plastic Pulley
Cable	Highly flexible oil-containing cable
Function	Chest extension, chest press, kicking, lat pulldown, leg press, parallel bars etc.

Integrated Machine

F1-518BK

5 Stations Home Gym



Specification	
Assemble Size	2670*2658*2216(LXWXHmm)
Color	Black Sand Pattern
Gross Weight	706.5kg
Weight Stack	60 Pcs, 4.5kg (10lbs) each
Tubes	F50*50*2, J50*25*2, F30*38*2, φ32*3, φ25*2.5
Pulley	High Strength Plastic Pulley
Cable	Highly flexible oil-containing cable
Function	Leg press, kicking, chest extension, lat pulldown, low row, side pull, rowing, abdomen etc.

F1-518ED

3 Station Multi Gym



Specification	
Assemble Size	2174*1903*2043(LXWXHmm)
Color	Black Sand Pattern
Gross Weight	208.7kg
Function	Chest extension, high pull, low pull, parallel bars, squats, etc

Integrated Machine

WNQ-518GA

5 Functional Weightlifting Bench



Specification	
Assemble Size	1670*1000*1000(LXWXHmm)
Color	Black
Gross Weight	50kg
Tubes	φ50*50*2.0
Function	Senior high resilient foam sponge and leather fabric is applied to the bench, exercisers can feel comfortable during exercise. Seat and cushion can be adjusted to the most suitable position the exercisers are accustomed to according to different sizes of the users.

Integrated Machine

F1-A8001

Crossfit



Specification	
Assemble Size	3130*3085*2532(LXWXHmm)
Color	Red, Black
Weight Stack	20 Pcs, 9.1kg (20lbs) each
Tubes	φ76*3, F60*60*2, F50*50*3, φ32*3, φ25.4*2
Function	It can be used by at least 7 people simultaneously, more than 10 different exercises, the following only lists some common exercises: medicine ball exercise, chin up, pulling exercise, biceps exercises, squat training, flat pulling, punching boxing, steps, rings, dumbbell, kettlebells, etc.

F1-A8000

Crossfit



Specification	
Assemble Size	4927*4317*2532(LXWXHmm)
Color	Red, Black
Weight Stack	20 Pcs, 9.1kg (20lbs) each
Tubes	φ76*3, F60*60*2, F50*50*3, φ32*3, φ25.4*2
Function	It can be used by at least 15 people simultaneously, more than 20 different exercises, the following only lists some common exercises: medicine ball exercise, parallel bars, horizontal bars, chin up, pulling exercise, biceps exercises, squat training, flat pulling, punching boxing, steps, sling, unilateral weightlifting, climbing training, ladder climbing, agility ladder, rings, kettlebells, etc.


F1-A8003

Crossfit



Specification	
Assemble Size	4266*3793*2405(LXWXHmm)
Color	Red, Black
Weight Stack	10 Pcs, 9.1kg (20lbs) each
Tubes	φ76*3, F60*60*2, F50*50*3, φ32*3, φ25.4*2
Function	It can be used by at least 9 people simultaneously, more than 12 different exercises, the following only lists some common exercises: medicine ball exercise, steps, unilateral weightlifting, sling, kettlebells, parallel bars, rope pulling, biceps, chin up, pulling exercise, etc.

CASE APPRECIATION



Vietnam Gym



Crossbridge Fitness




Japan Gym



High Level Chain Gym




High Level Commercial Gym



Hotel Gym



School Gym



WNQ
Fitness

WWW.WNQ.COM

WNQ Fitness Vision:
Providing first-class brand products for
the health of people around the world